

`$SPAD/input schaum9.input`

Timothy Daly

June 15, 2008

## Contents

<b>1</b>	<b>[1]:14.182</b>	$\int \frac{dx}{\sqrt{x^2 + a^2}}$	<b>3</b>
<b>2</b>	<b>[1]:14.183</b>	$\int \frac{x \ dx}{\sqrt{x^2 + a^2}}$	<b>4</b>
<b>3</b>	<b>[1]:14.184</b>	$\int \frac{x^2 \ dx}{\sqrt{x^2 + a^2}}$	<b>5</b>
<b>4</b>	<b>[1]:14.185</b>	$\int \frac{x^3 \ dx}{\sqrt{x^2 + a^2}}$	<b>7</b>
<b>5</b>	<b>[1]:14.186</b>	$\int \frac{dx}{x\sqrt{x^2 + a^2}}$	<b>8</b>
<b>6</b>	<b>[1]:14.187</b>	$\int \frac{dx}{x^2\sqrt{x^2 + a^2}}$	<b>10</b>
<b>7</b>	<b>[1]:14.188</b>	$\int \frac{dx}{x^3\sqrt{x^2 + a^2}}$	<b>11</b>
<b>8</b>	<b>[1]:14.189</b>	$\int \sqrt{x^2 + a^2} \ dx$	<b>13</b>
<b>9</b>	<b>[1]:14.190</b>	$\int x\sqrt{x^2 + a^2} \ dx$	<b>15</b>
<b>10</b>	<b>[1]:14.191</b>	$\int x^2\sqrt{x^2 + a^2} \ dx$	<b>16</b>
<b>11</b>	<b>[1]:14.192</b>	$\int x^3\sqrt{x^2 + a^2} \ dx$	<b>18</b>
<b>12</b>	<b>[1]:14.193</b>	$\int \frac{\sqrt{x^2 + a^2}}{x} \ dx$	<b>19</b>
<b>13</b>	<b>[1]:14.194</b>	$\int \frac{\sqrt{x^2 + a^2}}{x^2} \ dx$	<b>21</b>
<b>14</b>	<b>[1]:14.195</b>	$\int \frac{\sqrt{x^2 + a^2}}{x^3} \ dx$	<b>23</b>
<b>15</b>	<b>[1]:14.196</b>	$\int \frac{dx}{(x^2 + a^2)^{3/2}}$	<b>25</b>

<b>16</b> [1]:14.197	$\int \frac{x \, dx}{(x^2 + a^2)^{3/2}}$	<b>26</b>
<b>17</b> [1]:14.198	$\int \frac{x^2 dx}{(x^2 + a^2)^{3/2}}$	<b>27</b>
<b>18</b> [1]:14.199	$\int \frac{x^3 dx}{(x^2 + a^2)^{3/2}}$	<b>29</b>
<b>19</b> [1]:14.200	$\int \frac{dx}{x(x^2 + a^2)^{3/2}}$	<b>30</b>
<b>20</b> [1]:14.201	$\int \frac{dx}{x^2(x^2 + a^2)^{3/2}}$	<b>32</b>
<b>21</b> [1]:14.202	$\int \frac{dx}{x^3(x^2 + a^2)^{3/2}}$	<b>33</b>
<b>22</b> [1]:14.203	$\int (x^2 + a^2)^{3/2} \, dx$	<b>36</b>
<b>23</b> [1]:14.204	$\int x(x^2 + a^2)^{3/2} \, dx$	<b>38</b>
<b>24</b> [1]:14.205	$\int x^2(x^2 + a^2)^{3/2} \, dx$	<b>39</b>
<b>25</b> [1]:14.206	$\int x^3(x^2 + a^2)^{3/2} \, dx$	<b>41</b>
<b>26</b> [1]:14.207	$\int \frac{(x^2 + a^2)^{3/2}}{x} \, dx$	<b>43</b>
<b>27</b> [1]:14.208	$\int \frac{(x^2 + a^2)^{3/2}}{x^2} \, dx$	<b>45</b>
<b>28</b> [1]:14.209	$\int \frac{(x^2 + a^2)^{3/2}}{x^3} \, dx$	<b>47</b>

```

1 [1]:14.182      
$$\int \frac{dx}{\sqrt{x^2 + a^2}}$$


$$\int \frac{1}{\sqrt{x^2 + a^2}} = \ln(x + \sqrt{x^2 + a^2})$$


$$\int \frac{1}{\sqrt{x^2 + a^2}} = \sinh^{-1} \frac{x}{a}$$


(*)≡
)spool schaum9.output
)set message test on
)set message auto off
)clear all

--S 1
aa:=integrate(1/(sqrt(x^2+a^2)),x)
--R
--R
--R
$$(1) - \log(\sqrt{x^2 + a^2} - x)$$

--R
--E                                         Type: Union(Expression Integer,...)

--S 2
bb:=log(x+sqrt(x^2+a^2))
--R
--R
$$(2) \log(\sqrt{x^2 + a^2} + x)$$

--R
--E                                         Type: Expression Integer

--S 3
cc:=aa-bb
--R
--R
$$(3) - \log(\sqrt{x^2 + a^2} + x) - \log(\sqrt{x^2 + a^2} - x)$$

--R
--E                                         Type: Expression Integer

--S 4      14:182 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R

```

```

--R      2
--R      (4)  - log(a )
--R
--E                                         Type: Expression Integer

This is equal to  $-\log(a^2)$  but Axiom cannot prove it.

2 [1]:14.183      
$$\int \frac{x}{\sqrt{x^2 + a^2}} dx$$


$$\int \frac{x}{\sqrt{x^2 + a^2}} = \sqrt{x^2 + a^2}$$


(*)+≡
)clear all

--S 5
aa:=integrate(x/(sqrt(x^2+a^2)),x)
--R
--R
--R      +-----+
--R      | 2      2      2      2
--R      - x\|x  + a    + x  + a
--R      (1) -----
--R      +-----+
--R      | 2      2
--R      \|x  + a    - x
--R
--E                                         Type: Union(Expression Integer,...)

--S 6
bb:=sqrt(x^2+a^2)
--R
--R      +-----+
--R      | 2      2
--R      (2)  \|x  + a
--R
--E                                         Type: Expression Integer

--S 7      14:183 Schaums and Axiom agree
cc:=aa-bb
--R
--R      (3)  0
--R
--E                                         Type: Expression Integer

```

**3 [1]:14.184**       $\int \frac{x^2}{\sqrt{x^2 + a^2}} dx$   

$$\int \frac{x^2}{\sqrt{x^2 + a^2}} = \frac{x\sqrt{x^2 + a^2}}{2} - \frac{a^2}{2} \ln \left( x + \sqrt{x^2 + a^2} \right)$$

$(*)+≡$   
 $)\text{clear all}$

```

--S 8
aa:=integrate(x^2/sqrt(x^2+a^2),x)
--R
--R
--R (1)
--R      +-----+
--R      2 | 2   2      2 2   4      | 2   2
--R      (2a x\|x + a - 2a x - a )log(\|x + a - x)
--R +
--R      +-----+
--R      3   2 | 2   2      4      2 2
--R      (- 2x - a x)\|x + a + 2x + 2a x
--R /
--R      +-----+
--R      | 2   2      2
--R      4x\|x + a - 4x - 2a
--R
--R                                         Type: Union(Expression Integer,...)
--E

```

```

--S 9
bb:=(x*sqrt(x^2+a^2))/2-a^2/2*log(x+sqrt(x^2+a^2))
--R
--R
--R      +-----+      +-----+
--R      2 | 2   2      | 2   2
--R      - a log(\|x + a + x) + x\|x + a
--R (2) -----
--R
--R                                         Type: Expression Integer
--E

```

```

--S 10
cc:=aa-bb
--R
--R
--R      +-----+      +-----+
--R      2 | 2   2      2 | 2   2
--R      a log(\|x + a + x) + a log(\|x + a - x)
--R (3) -----

```

```

--R          2
--R
--E                                         Type: Expression Integer

--S 11
logmul1:=rule(c*log(a)+c*log(b) == c*log(a*b))
--R
--I      (4)  c log(b) + c log(a) + %K == c log(a b) + %K
--R                                         Type: RewriteRule(Integer, Integer, Expression Integer)
--E

--S 12      14:184 Schaums and Axiom differ by a constant
dd:=logmul1 cc
--R
--R          2      2
--R          a log(a )
--R      (5)  -----
--R          2
--R
--E                                         Type: Expression Integer

```



```

5 [1]:14.186      
$$\int \frac{dx}{x\sqrt{x^2 + a^2}}$$


$$\int \frac{1}{x\sqrt{x^2 + a^2}} = -\frac{1}{a} \ln \left( \frac{a + \sqrt{x^2 + a^2}}{x} \right)$$

(*)+≡
)clear all

--S 16
aa:=integrate(1/(x*sqrt(x^2+a^2)),x)
--R
--R
--R
$$(1) \frac{-\log(\sqrt{x^2 + a^2} - x + a) + \log(\sqrt{x^2 + a^2} - x - a)}{a}$$

--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 17
bb:=-1/a*log((a+sqrt(x^2+a^2))/x)
--R
--R
$$(2) -\frac{\log(\frac{\sqrt{x^2 + a^2} + a}{x})}{a}$$

--R
--R                                         Type: Expression Integer
--E

--S 18
cc:=aa-bb
--R
--R (3)
--R
$$(3) \frac{-\log(\sqrt{x^2 + a^2} - x + a) + \log(\sqrt{x^2 + a^2} - x - a) + \log(\frac{\sqrt{x^2 + a^2} + a}{x})}{a}$$


```

```

--R                                         Type: Expression Integer
--E

--S 19
dd:=expandLog cc
--R
--R      (4)
--R      +-----+      +-----+      +-----+
--R      | 2      2          | 2      2          | 2      2
--R      log(\|x  + a  + a) - log(\|x  + a  - x + a) + log(\|x  + a  - x - a)
--R      +
--R      - log(x)
--R   /
--R      a
--R                                         Type: Expression Integer
--E

--S 20      14:186 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R      log(- 1)
--R      (5)  - -----
--R                  a
--R                                         Type: Expression Integer
--E

```

```

6 [1]:14.187      
$$\int \frac{dx}{x^2\sqrt{x^2+a^2}}$$


$$\int \frac{1}{x^2\sqrt{x^2+a^2}} = -\frac{\sqrt{x^2+a^2}}{a^2x}$$

(*)+≡
)clear all

--S 21
aa:=integrate(1/(x^2*sqrt(x^2+a^2)),x)
--R
--R
--R      1
--R      (1)  - -----
--R                  +-----+
--R                  | 2      2      2
--R      x\|x  + a  - x
--R
--R                                          Type: Union(Expression Integer,...)
--E

--S 22
bb:=-sqrt(x^2+a^2)/(a^2*x)
--R
--R      +-----+
--R      | 2      2
--R      \|x  + a
--R      (2)  - -----
--R                  2
--R                  a x
--R
--R                                          Type: Expression Integer
--E

--S 23      14:187 Schaums and Axiom differ by a constant
cc:=aa-bb
--R
--R      1
--R      (3)  - --
--R                  2
--R                  a
--R
--R                                          Type: Expression Integer
--E

```

7 [1]:14.188  $\int \frac{dx}{x^3\sqrt{x^2+a^2}}$   

$$\int \frac{1}{x^3\sqrt{x^2+a^2}} = -\frac{\sqrt{x^2+a^2}}{2a^2x^2} + \frac{1}{2a^3} \ln \left( \frac{a+\sqrt{x^2+a^2}}{x} \right)$$

(\* )+≡  
 )clear all

--S 24  
 aa:=integrate(1/(x^3\*sqrt(x^2+a^2)),x)  
 --R  
 --R  
 --R (1)  

$$\begin{aligned} & \frac{(2x^3\sqrt{x^2+a^2} - 2x^4 - ax^2)\log(\sqrt{x^2+a^2} - x + a)}{(2x^3\sqrt{x^2+a^2} + 2x^4 + ax^2)\log(\sqrt{x^2+a^2} - x - a)} \\ & + \frac{(2ax^2 + a^3)\sqrt{x^2+a^2} - 2ax^3 - 2ax^5}{4ax^3\sqrt{x^2+a^2} - 4ax^4 - 2ax^6} \end{aligned}$$
  
 Type: Union(Expression Integer,...)  
 --E

--S 25  
 bb:=-sqrt(x^2+a^2)/(2\*a^2\*x^2)+1/(2\*a^3)\*log((a+sqrt(x^2+a^2))/x)  
 --R  
 --R  
 --R (2) 
$$\frac{x^2\log(\frac{\sqrt{x^2+a^2}+a}{x}) - a\sqrt{x^2+a^2}}{2ax^3}$$
  
 Type: Expression Integer  
 --E

```

--S 26
cc:=aa-bb
--R
--R      (3)
--R
--R      +-----+           +-----+           +-----+
--R      | 2     2           | 2     2           | 2     2
--R      log(\|x     + a    - x + a) - log(\|x     + a    - x - a) - log(-----)
--R
--R      -----
--R      3
--R      2a
--R
--R                                          Type: Expression Integer
--E

--S 27
dd:=expandLog cc
--R
--R      (4)
--R
--R      +-----+           +-----+           +-----+
--R      | 2     2           | 2     2           | 2     2
--R      - log(\|x     + a    + a) + log(\|x     + a    - x + a) - log(\|x     + a    - x - a)
--R
--R      +
--R      log(x)
--R
--R      /
--R      3
--R      2a
--R
--R                                          Type: Expression Integer
--E

--S 28      14:188 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R      log(- 1)
--R      (5)  -----
--R              3
--R              2a
--R
--R                                          Type: Expression Integer
--E

```



```

--R                                         Type: Expression Integer
--E

--S 32      14:189 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R
--R          2      2
--R          a log(a )
--R  (4)  - -----
--R                  2
--R                                         Type: Expression Integer
--E

```

```

9 [1]:14.190       $\int x\sqrt{x^2 + a^2} dx$ 

$$\int x\sqrt{x^2 + a^2} = \frac{(x^2 + a^2)^{3/2}}{3}$$

(*)+≡
)clear all

--S 33
aa:=integrate(x*sqrt(x^2+a^2),x)
--R
--R
--R
--R      5      2 3      4 | 2      2      6      2 4      4 2      6
--R      (- 4x  - 7ax  - 3ax )\|x  + a  + 4x  + 9ax  + 6ax  + a
--R      (1) -----
--R
--R      2      2 | 2      2      3      2
--R      (12x  + 3a )\|x  + a  - 12x  - 9ax
--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 34
bb:=(x^2+a^2)^(3/2)/3
--R
--R
--R      2      2 | 2      2
--R      (x  + a )\|x  + a
--R      (2) -----
--R
--R                                         3
--R                                         Type: Expression Integer
--E

--S 35      14:190 Schaums and Axiom agree
cc:=aa-bb
--R
--R      (3) 0
--R
--R                                         Type: Expression Integer
--E

```

**10 [1]:14.191**  $\int x^2 \sqrt{x^2 + a^2} dx$

$$\int x^2 \sqrt{x^2 + a^2} = \frac{x(x^2 + a^2)^{3/2}}{4} - \frac{a^2 x \sqrt{x^2 + a^2}}{8} - \frac{a^4}{8} \ln \left( x + \sqrt{x^2 + a^2} \right)$$

*(\* )+≡*  
*)clear all*

--S 36  
aa:=integrate(x^2\*sqrt(x^2+a^2),x)  
--R  
--R  
--R (1)  
--R 
$$\frac{((8a^4 x^3 + 4a^6) \sqrt{x^2 + a^2} - 8a^4 x^4 - 8a^6 x^2 - a^8) \ln(\sqrt{x^2 + a^2} - x)}{(64x^3 + 32a^2 x^2) \sqrt{x^2 + a^2} - 64x^4 - 64a^2 x^2 - 8a^4}$$
  
--R  
--R Type: Union(Expression Integer,...)  
--E

--S 37  
bb:=(x\*(x^2+a^2)^(3/2))/4-(a^2\*x\*sqrt(x^2+a^2))/8-a^4/8\*log(x+sqrt(x^2+a^2))  
--R  
--R 
$$(2) \frac{-a^4 \log(\sqrt{x^2 + a^2} + x) + (2x^3 + a^2 x^2) \sqrt{x^2 + a^2}}{8}$$
  
--R  
--R Type: Expression Integer  
--E

--S 38  
cc:=aa-bb  
--R  
--R 
$$(3) \frac{a^4 \log(\sqrt{x^2 + a^2} + x) + a^4 \log(\sqrt{x^2 + a^2} - x)}{8}$$

```

--R                                         Type: Expression Integer
--E

--S 39      14:191 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R
--R          4      2
--R          a log(a )
--R  (4)  -----
--R                      8
--R                                         Type: Expression Integer
--E

```



```

12 [1]:14.193   
$$\int \frac{\sqrt{x^2 + a^2}}{x} dx$$


$$\int \frac{\sqrt{x^2 + a^2}}{x} = \sqrt{x^2 + a^2} - a \ln \left( \frac{a + \sqrt{x^2 + a^2}}{x} \right)$$

(* )+≡
)clear all

--S 43
aa:=integrate(sqrt(x^2+a^2)/x,x)
--R
--R
--R (1)
--R 
$$\frac{(-a\sqrt{x^2 + a^2} + ax)\log(\sqrt{x^2 + a^2} - x + a)}{\sqrt{x^2 + a^2}^3}$$

--R 
$$+ \frac{(a\sqrt{x^2 + a^2} - ax)\log(\sqrt{x^2 + a^2} - x - a) - x\sqrt{x^2 + a^2}^2}{\sqrt{x^2 + a^2}^5}$$

--R /
--R 
$$\sqrt{x^2 + a^2} - x$$

--R
--E                                         Type: Union(Expression Integer,...)

--S 44
bb:=sqrt(x^2+a^2)-a*log((a+sqrt(x^2+a^2))/x)
--R
--R 
$$(2) - a \log\left(\frac{\sqrt{x^2 + a^2} + a}{x}\right) + \sqrt{x^2 + a^2}$$

--R
--E                                         Type: Expression Integer

--S 45
cc:=aa-bb
--R
--R (3)
--R 
$$\frac{-a \log\left(\frac{\sqrt{x^2 + a^2} + a}{x}\right) + \sqrt{x^2 + a^2}}{\sqrt{x^2 + a^2}}$$


```

```

--R      - a log(\|x + a - x + a) + a log(\|x + a - x - a)
--R      +
--R      +-----+
--R      | 2     2
--R      \|x + a + a
--R      a log(-----)
--R                  x
--R
--E                                         Type: Expression Integer

--S 46
dd:=expandLog cc
--R
--R      (4)
--R      +-----+           +-----+
--R      | 2     2           | 2     2
--R      a log(\|x + a + a) - a log(\|x + a - x + a)
--R      +
--R      +-----+
--R      | 2     2
--R      a log(\|x + a - x - a) - a log(x)
--R
--E                                         Type: Expression Integer

--S 47      14:193 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R      (5)  - a log(- 1)
--R
--E                                         Type: Expression Integer

```

```

13 [1]:14.194   
$$\int \frac{\sqrt{x^2 + a^2}}{x^2} dx$$


$$\int \frac{\sqrt{x^2 + a^2}}{x^2} = -\frac{\sqrt{x^2 + a^2}}{x} + \ln \left( x + \sqrt{x^2 + a^2} \right)$$

(*)+≡
)clear all

--S 48
aa:=integrate(sqrt(x^2+a^2)/x^2,x)
--R
--R
--R      +-----+      +-----+
--R      | 2      2      2      | 2      2      2
--R      (- x\|x  + a  + x )log(\|x  + a  - x) - a
--R      (1) -----
--R                  +-----+
--R                  | 2      2      2
--R                  x\|x  + a  - x
--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 49
bb:=-sqrt(x^2+a^2)/x+log(x+sqrt(x^2+a^2))
--R
--R      +-----+      +-----+
--R      | 2      2      | 2      2
--R      x log(\|x  + a  + x) - \|x  + a
--R      (2) -----
--R                  x
--R
--R                                         Type: Expression Integer
--E

--S 50
cc:=aa-bb
--R
--R      +-----+      +-----+
--R      | 2      2      | 2      2
--R      (3) - log(\|x  + a  + x) - log(\|x  + a  - x) - 1
--R
--R                                         Type: Expression Integer
--E

--S 51      14:194 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R

```

```
--R          2
--R      (4) - log(a ) - 1
--R
--E
```

Type: Expression Integer



```

--S 54
cc:=aa-bb
--R
--R      (3)
--R
--R      +-----+           +-----+           +-----+
--R      | 2   2             | 2   2             | 2   2
--R      - log(\|x + a - x + a) + log(\|x + a - x - a) + log(-----)
--R
--R      -----
--R      2a
--R
--E                                         Type: Expression Integer

--S 55
dd:=expandLog cc
--R
--R      (4)
--R
--R      +-----+           +-----+           +-----+
--R      | 2   2             | 2   2             | 2   2
--R      log(\|x + a + a) - log(\|x + a - x + a) + log(\|x + a - x - a)
--R
--R      +
--R      - log(x)
--R
--R      /
--R      2a
--R
--E                                         Type: Expression Integer

--S 56      14:195 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R      log(- 1)
--R      (5)  - -----
--R                  2a
--R
--E                                         Type: Expression Integer

```

```

15 [1]:14.196      
$$\int \frac{dx}{(x^2 + a^2)^{3/2}}$$


$$\int \frac{1}{(x^2 + a^2)^{3/2}} = \frac{x}{a^2 \sqrt{x^2 + a^2}}$$

(*)+≡
)clear all

--S 57
aa:=integrate(1/(x^2+a^2)^(3/2),x)
--R
--R
--R
--R (1)  - 
$$\frac{1}{x\sqrt{x^2 + a^2}^{2/2}}$$

--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 58
bb:=x/(a^2*sqrt(x^2+a^2))
--R
--R
--R (2)  
$$\frac{x}{a\sqrt{x^2 + a^2}^{2/2}}$$

--R
--R                                         Type: Expression Integer
--E

--S 59      14:196 Schaums and Axiom differ by a constant
cc:=aa-bb
--R
--R
--R (3)  
$$\frac{1}{a^2}$$

--R
--R                                         Type: Expression Integer
--E

```





```
dd:=complexNormalize cc
--R
--R          2
--R      (4) - log(a ) - 1
--R
--E                                         Type: Expression Integer
```







**20 [1]:14.201**  $\int \frac{dx}{x^2(x^2 + a^2)^{3/2}}$   

$$\int \frac{1}{x^2(x^2 + a^2)^{3/2}} = -\frac{\sqrt{x^2 + a^2}}{a^4 x} - \frac{x}{a^4 \sqrt{x^2 + a^2}}$$

```

(*)+≡
)clear all

--S 75
aa:=integrate(1/(x^2*(x^2+a^2)^(3/2)),x)
--R
--R
--R
--R (1)  - -----
--R           +---+
--R           3   2   | 2   2   4   2 2
--R   (2x  + a x)\|x  + a  - 2x  - 2a x
--R                                         Type: Union(Expression Integer,...)
--E

--S 76
bb:=-sqrt(x^2+a^2)/(a^4*x)-x/(a^4*sqrt(x^2+a^2))
--R
--R
--R (2)  -----
--R           2   2
--R           - 2x  - a
--R           +---+
--R           4   | 2   2
--R           a x\|x  + a
--R                                         Type: Expression Integer
--E

--S 77      14:201 Schaums and Axiom differ by a constant
cc:=aa-bb
--R
--R
--R (3)  - --
--R           4
--R           a
--R                                         Type: Expression Integer
--E

```

**21 [1]:14.202**  $\int \frac{dx}{x^3(x^2 + a^2)^{3/2}}$

$$\int \frac{1}{x^3(x^2 + a^2)^{3/2}} = \frac{-1}{2a^2 x^2 \sqrt{x^2 + a^2}} - \frac{3}{2a^4 \sqrt{x^2 + a^2}} + \frac{3}{2a^5} \ln\left(\frac{a + \sqrt{x^2 + a^2}}{x}\right)$$

(\*)+≡  
)clear all

--S 78  
aa:=integrate(1/(x^3\*(x^2+a^2)^(3/2)),x)  
--R  
--R  
--R (1)  
--R 
$$\frac{((12x^5 + 9ax^3)\sqrt{x^2 + a^2} - 12x^6 - 15ax^4 - 3ax^2)\log(\sqrt{x^2 + a^2} - x + a)}{(8a^5x^5 + 6a^3x^3 + a^2)\sqrt{x^2 + a^2}}$$
  
--R 
$$+ \frac{(((-12x^5 - 9ax^3)\sqrt{x^2 + a^2} + 12x^6 + 15ax^4 + 3ax^2)\log(\sqrt{x^2 + a^2} - x - a))}{(12a^5x^5 + 7a^3x^3 + a^2)\sqrt{x^2 + a^2}}$$
  
--R 
$$+ \frac{(8a^5x^5 + 6a^3x^3 + a^2)\log(\sqrt{x^2 + a^2} - x - a)}{(8a^5x^5 + 6a^3x^3 + a^2)\sqrt{x^2 + a^2}}$$
  
--R  
--R Type: Union(Expression Integer,...)  
--E

--S 79  
bb:=-1/(2\*a^2\*x^2\*sqrt(x^2+a^2))-3/(2\*a^4\*sqrt(x^2+a^2))+3/(2\*a^5)\*log((a+sqrt(x^2+a^2))  
--R  
--R 
$$(2) \frac{3x\sqrt{x^2 + a^2}\log(\frac{\sqrt{x^2 + a^2} + a}{x}) - 3ax^2 - a^3}{x}$$

```

--R          +-----+
--R          5 2 | 2      2
--R          2a x \|x  + a
--R
--E                                         Type: Expression Integer

--S 80
cc:=aa-bb
--R
--R      (3)
--R
--R          +-----+          +-----+          +-----+
--R          | 2      2          | 2      2          | 2      2
--R          3log(\|x  + a  - x + a) - 3log(\|x  + a  - x - a) - 3log(-----)
--R
--R          -----
--R          5
--R          2a
--R
--E                                         Type: Expression Integer

--S 81
dd:=expandLog cc
--R
--R      (4)
--R
--R          +-----+          +-----+
--R          | 2      2          | 2      2
--R          - 3log(\|x  + a  + a) + 3log(\|x  + a  - x + a)
--R
--R          +
--R          +-----+
--R          | 2      2
--R          - 3log(\|x  + a  - x - a) + 3log(x)
--R
--R          /
--R          5
--R          2a
--R
--E                                         Type: Expression Integer

--S 82      14:202 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R          3log(- 1)
--R      (5)  -----
--R          5
--R          2a
--R
--E                                         Type: Expression Integer

```

--E

**22 [1]:14.203**  $\int (x^2 + a^2)^{3/2} dx$

$$\int (x^2 + a^2)^{3/2} = \frac{x(x^2 + a^2)^{3/2}}{4} + \frac{3a^2 x \sqrt{x^2 + a^2}}{8} + \frac{3}{8} a^4 \ln(x + \sqrt{x^2 + a^2})$$

$\langle *\rangle + \equiv$   
 $\text{)clear all}$

--S 83  
aa:=integrate((x^2+a^2)^(3/2),x)  
--R  
--R (1)

$$\frac{(-24a^4 x^3 - 12a^6 x) \sqrt{x^2 + a^2} + 24a^4 x^4 + 24a^6 x^2 + 3a^8}{20a^6 x^2} \log(\sqrt{x^2 + a^2} - x)$$

$$+ \frac{(-16x^7 - 56a^2 x^5 - 42a^4 x^3 - 5a^6 x) \sqrt{x^2 + a^2} + 16x^8 + 64a^2 x^6 + 68a^4 x^4}{(64x^3 + 32a^2 x^2) \sqrt{x^2 + a^2} - 64x^4 - 64a^2 x^2 - 8a^4}$$

Type: Union(Expression Integer,...)

--E

--S 84  
bb:=(x\*(x^2+a^2)^(3/2))/4+(3\*a^2\*x\*sqrt(x^2+a^2))/8+3/8\*a^4\*log(x+sqrt(x^2+a^2))  
--R  
--R (2)

$$\frac{3a^4 \log(\sqrt{x^2 + a^2} + x) + (2x^3 + 5a^2 x^2) \sqrt{x^2 + a^2}}{8}$$

Type: Expression Integer

--E

--S 85  
cc:=aa-bb  
--R  
--R

$$- 3a^4 \log(\sqrt{x^2 + a^2} + x) - 3a^4 \log(\sqrt{x^2 + a^2} - x)$$

```

--R      (3)  -----
--R                                         8
--R                                         Type: Expression Integer
--E

--S 86      14:203 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R
--R      4      2
--R      3a log(a )
--R      (4)  - -----
--R                                         8
--R                                         Type: Expression Integer
--E

```

**23 [1]:14.204**  $\int x(x^2 + a^2)^{3/2} dx$

$$\int x(x^2 + a^2)^{3/2} = \frac{(x^2 + a^2)^{5/2}}{5}$$

```

(*)+≡
)clear all

--S 87
aa:=integrate(x*(x^2+a^2)^(3/2),x)
--R
--R
--R (1)
--R
--R      9      2 7      4 5      6 3      8 | 2      2      10      2 8
--R      (- 16x  - 52ax  - 61a x  - 30a x  - 5a x)\|x  + a  + 16x  + 60ax
--R      +
--R      4 6      6 4      8 2      10
--R      85ax  + 55ax  + 15ax  + a
--R      /
--R      4      2 2      4 | 2      2      5      2 3      4
--R      (80x  + 60ax  + 5a )\|x  + a  - 80x  - 100ax  - 25ax
--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 88
bb:=(x^2+a^2)^(5/2)/5
--R
--R
--R      4      2 2      4 | 2      2      5
--R      (x  + 2ax  + a )\|x  + a
--R (2) -----
--R
--R                                         Type: Expression Integer
--E

--S 89      14:204 Schaums and Axiom agree
cc:=aa-bb
--R
--R (3)  0
--R
--R                                         Type: Expression Integer
--E

```

**24 [1]:14.205**  $\int x^2(x^2 + a^2)^{3/2} dx$

$$\int x^2(x^2 + a^2)^{3/2} = \frac{x(x^2 + a^2)^{5/2}}{6} - \frac{a^2 x(x^2 + a^2)^{3/2}}{24} - \frac{a^4 x \sqrt{x^2 + a^2}}{16} - \frac{a^6}{16} \ln(x + \sqrt{x^2 + a^2})$$

$\langle *\rangle +\equiv$   
 $\text{)clear all}$

```
--S 90
aa:=integrate(x^2*(x^2+a^2)^(3/2),x)
--R
--R
--R (1)
--R
--R
--R      6 5      8 3      10 | 2      2      6 6      8 4      10 2
--R      (96a x  + 96a x  + 18a x)\|x  + a  - 96a x  - 144a x  - 54a x
--R
--R      +
--R      12
--R      - 3a
--R
--R      *
--R
--R      +-----+
--R      | 2      2
--R      log(\|x  + a  - x)
--R
--R      +
--R
--R      11      2 9      4 7      6 5      8 3      10 | 2      2
--R      (- 256x  - 832a x  - 912a x  - 404a x  - 68a x  - 3a x)\|x  + a
--R
--R      +
--R      12      2 10      4 8      6 6      8 4      10 2
--R      256x  + 960a x  + 1296a x  + 772a x  + 198a x  + 18a x
--R
--R      /
--R
--R      5      2 3      4 | 2      2      6      2 4      4 2      6
--R      (1536x  + 1536a x  + 288a x)\|x  + a  - 1536x  - 2304a x  - 864a x  - 48a
--R
--R                                         Type: Union(Expression Integer,...)
--E
```

```
--S 91
bb:=(x*(x^2+a^2)^(5/2))/6-(a^2*x*(x^2+a^2)^(3/2))/24-(a^4*x*sqrt(x^2+a^2))/16-a^6/16*a
--R
--R
--R      +-----+      +-----+
--R      6 | 2      2      5      2 3      4 | 2      2
--R      - 3a log(\|x  + a  + x) + (8x  + 14a x  + 3a x)\|x  + a
--R
--R      (2) -----
--R                                         48
--R
--R                                         Type: Expression Integer
```

```

--E

--S 92
cc:=aa-bb
--R
--R
--R      +-----+      +-----+
--R      6   | 2   2      6   | 2   2
--R      a log(\|x + a + x) + a log(\|x + a - x)
--R      (3) -----
--R                                         16
--R
--R                                         Type: Expression Integer
--E

--S 93      14:205 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R
--R
--R      6   2
--R      a log(a )
--R      (4) -----
--R             16
--R
--R                                         Type: Expression Integer
--E

```

**25 [1]:14.206**  $\int x^3(x^2 + a^2)^{3/2} dx$   

$$\int x^3(x^2 + a^2)^{3/2} = \frac{(x^2 + a^2)^{7/2}}{7} - \frac{a^2(x^2 + a^2)^{5/2}}{5}$$

$$(*)+≡$$

$$)\text{clear all}$$
  
--S 94  
aa:=integrate(x^3\*(x^2+a^2)^(3/2),x)  
--R  
--R  
--R (1)  
--R 
$$- 320x^{13} - 1072a x^{11} - 1240a x^9 - 467a x^7 + 112a x^5 + 105a x^3$$
  
--R +  
--R 
$$14a x^{12}$$
  
--R \*  
--R 
$$\sqrt{x^2 + a^2}$$
  
--R +  
--R 
$$320x^{14} + 1232a x^{12} + 1736a x^{10} + 973a x^8 + 21a x^6 - 175a x^4 - 49a x^2$$
  
--R +  
--R 
$$- 2a^{14}$$
  
--R /  
--R 
$$(2240x^6 + 2800a x^4 + 840a x^2 + 35a) \sqrt{x^2 + a^2} - 2240x^7 - 3920a x^5$$
  
--R +  
--R 
$$- 1960a x^3 - 245a x^6$$
  
--R  
--E  
  
--S 95  
bb:=(x^2+a^2)^(7/2)/7-(a^2\*(x^2+a^2)^(5/2))/5  
--R  
--R  
--R (2) 
$$\frac{(5x^6 + 8a x^4 + a x^2 - 2a^2) \sqrt{x^2 + a^2}}{35}$$

```
--R                                         Type: Expression Integer
--E

--S 96      14:206 Schaums and Axiom agree
cc:=aa-bb
--R
--R      (3)  0                                         Type: Expression Integer
--E
```

**26 [1]:14.207**  $\int \frac{(x^2 + a^2)^{3/2}}{x} dx$

$$\int \frac{(x^2 + a^2)^{3/2}}{x} = \frac{(x^2 + a^2)^{3/2}}{3} + a^2 \sqrt{x^2 + a^2} - a^3 \ln \left( \frac{a + \sqrt{x^2 + a^2}}{x} \right)$$

```

(*)+≡
)clear all

--S 97
aa:=integrate((x^2+a^2)^(3/2)/x,x)
--R
--R
--R (1)
--R
--R
--R      +-----+
--R      3 2      5 | 2      2      +-----+
--R      ((- 12a x  - 3a )\|x  + a  + 12a x  + 9a x)log(\|x  + a  - x + a)
--R
--R      +
--R
--R      +-----+
--R      3 2      5 | 2      2      +-----+
--R      ((12a x  + 3a )\|x  + a  - 12a x  - 9a x)log(\|x  + a  - x - a)
--R
--R      +
--R
--R      +-----+
--R      5      2 3      4 | 2      2      6      2 4      4 2      6
--R      (- 4x  - 19a x  - 12a x)\|x  + a  + 4x  + 21a x  + 21a x  + 4a
--R
--R      /
--R
--R      +-----+
--R      2      2 | 2      2      3      2
--R      (12x  + 3a )\|x  + a  - 12x  - 9a x
--R
--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 98
bb:=(x^2+a^2)^(3/2)/3+a^2*sqrt(x^2+a^2)-a^3*log((a+sqrt(x^2+a^2))/x)
--R
--R
--R      +-----+
--R      | 2      2      +-----+
--R      3      \|x  + a  + a  2      2 | 2      2
--R      - 3a log(-----) + (x  + 4a )\|x  + a
--R
--R      x
--R
--R (2) -----
--R
--R                                         Type: Expression Integer
--E

```

```

--S 99
cc:=aa-bb
--R
--R (3)
--R      +-----+      +-----+
--R      3 | 2   2      3 | 2   2
--R      - a log(\|x + a - x + a) + a log(\|x + a - x - a)
--R      +
--R      +-----+
--R      | 2   2
--R      3 \|x + a + a
--R      a log(-----)
--R                  x
--R
--E                                         Type: Expression Integer

--S 100
dd:=expandLog cc
--R
--R (4)
--R      +-----+      +-----+
--R      3 | 2   2      3 | 2   2
--R      a log(\|x + a + a) - a log(\|x + a - x + a)
--R      +
--R      +-----+
--R      3 | 2   2      3
--R      a log(\|x + a - x - a) - a log(x)
--R
--E                                         Type: Expression Integer

--S 101      14:207 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R      3
--R (5) - a log(- 1)
--R
--E                                         Type: Expression Integer

```

**27 [1]:14.208**

$$\int \frac{(x^2 + a^2)^{3/2}}{x^2} dx$$

$$\int \frac{(x^2 + a^2)^{3/2}}{x^2} = -\frac{(x^2 + a^2)^{3/2}}{x} + \frac{3x\sqrt{x^2 + a^2}}{2} + \frac{3}{2}a^2 \ln(x + \sqrt{x^2 + a^2})$$

(\*)+≡  
)clear all

```
--S 102
aa:=integrate((x^2+a^2)^{3/2}/x^2,x)
--R
--R
--R (1)
--R
--R
--R      +-----+
--R      2 3      4 | 2      2      +-----+      +-----+
--R      ((- 12a x  - 3a x)\|x  + a  + 12a x  + 9a x )log(\|x  + a  - x)
--R
--R      +
--R
--R      +-----+
--R      5      2 3      4 | 2      2      6      2 4      4 2      6
--R      (- 4x  - 3a x  + 4a x)\|x  + a  + 4x  + 5a x  - 3a x  - 2a
--R
--R      /
--R
--R      +-----+
--R      3      2 | 2      2      4      2 2
--R      (8x  + 2a x)\|x  + a  - 8x  - 6a x
--R
--R
--R                                         Type: Union(Expression Integer,...)
--E

--S 103
bb:=-(x^2+a^2)^(3/2)/x+(3*x*sqrt(x^2+a^2))/2+3/2*a^2*log(x+sqrt(x^2+a^2))
--R
--R
--R      +-----+      +-----+
--R      2 | 2      2      2      2 | 2      2
--R      3a x log(\|x  + a  + x) + (x  - 2a )\|x  + a
--R
--R      (2) -----
--R
--R                                         2x
--R
--R                                         Type: Expression Integer
--E

--S 104
cc:=aa-bb
--R
--R
--R      +-----+      +-----+
--R      2 | 2      2      2 | 2      2      2
--R      - 3a log(\|x  + a  + x) - 3a log(\|x  + a  - x) - 2a
--R
--R      (3) -----

```

```

--R          2
--R                                         Type: Expression Integer
--E

--S 105      14:208 Schaums and Axiom differ by a constant
dd:=complexNormalize cc
--R
--R          2      2      2
--R          - 3a log(a ) - 2a
--R (4)  -----
--R                      2
--R                                         Type: Expression Integer
--E

```

28 [1]:14.209  $\int \frac{(x^2 + a^2)^{3/2}}{x^3} dx$   

$$\int \frac{(x^2 + a^2)^{3/2}}{x^3} = -\frac{(x^2 + a^2)^{3/2}}{2x^2} + \frac{3}{2}\sqrt{x^2 + a^2} - \frac{3}{2}a \ln\left(\frac{a + \sqrt{x^2 + a^2}}{x}\right)$$
  
 (\*)+≡  
 )clear all  
 --S 106  
 aa:=integrate((x^2+a^2)^(3/2)/x^3,x)  
 --R  
 --R  
 --R (1)  

$$\begin{aligned} & \frac{((-12a^4 x^4 - 3a^3 x^3) \sqrt{x^2 + a^2})^5}{(12a^4 x^4 + 3a^3 x^3) \sqrt{x^2 + a^2}} \log(\sqrt{x^2 + a^2} - x + a) \\ & + \frac{((12a^4 x^4 + 3a^3 x^3) \sqrt{x^2 + a^2} - 12a^5 x^5 - 9a^3 x^3)^3}{(-8x^5 - 2a^2 x^3 + 3a^4 x^4) \sqrt{x^2 + a^2}} \log(\sqrt{x^2 + a^2} - x - a) \\ & / \frac{(8x^4 + 2a^2 x^2)^2 \sqrt{x^2 + a^2}}{(8x^5 + 2a^2 x^2)^5} \end{aligned}$$
  
 Type: Union(Expression Integer,...)  
 --E  
 --S 107  
 bb:=-(x^2+a^2)^(3/2)/(2\*x^2)+3/2\*sqrt(x^2+a^2)-3/2\*a\*log((a+sqrt(x^2+a^2))/x)  
 --R  
 --R  

$$(2) \frac{-3a^2 x^2 \log\left(\frac{\sqrt{x^2 + a^2} + a}{x}\right) + (2x^2 - a^2)^2 \sqrt{x^2 + a^2}}{2x^2}$$
  
 Type: Expression Integer  
 --E

```

--S 108
cc:=aa-bb
--R
--R      (3)
--R      +-----+ +-----+
--R      | 2   2   | 2   2
--R      - 3a log(\|x + a - x + a) + 3a log(\|x + a - x - a)
--R      +
--R      +-----+
--R      | 2   2
--R      \|x + a + a
--R      3a log(-----)
--R                  x
--R      /
--R      2
--R
--R                                          Type: Expression Integer
--E

--S 109
dd:=expandLog cc
--R
--R      (4)
--R      +-----+ +-----+
--R      | 2   2   | 2   2
--R      3a log(\|x + a + a) - 3a log(\|x + a - x + a)
--R      +
--R      +-----+
--R      | 2   2
--R      3a log(\|x + a - x - a) - 3a log(x)
--R      /
--R      2
--R
--R                                          Type: Expression Integer
--E

--S 110      14:209 Schaums and Axiom differ by a constant
ee:=complexNormalize dd
--R
--R      3a log(- 1)
--R      (5)  - -----
--R                  2
--R
--R                                          Type: Expression Integer
--E

)spool
)lisp (bye)

```

## References

- [1] Spiegel, Murray R. *Mathematical Handbook of Formulas and Tables*  
Schaum's Outline Series McGraw-Hill 1968 p67-68